



青岛润凯机械制造有限公司
QINGDAO RUNKAI MACHINERY CO.,LTD

地址：中国 青岛 胶南 隐珠镇驻地

Add: Yinzhu Town, Jiaonan, Qingdao, China

电话/Tel: 0086-532-86166711

传真/Fax: 0086-532-86176237

Email: runkai@runkai.cn

网址/Web: www.runkai.cn



青岛润凯机械制造有限公司
QINGDAO RUNKAI MACHINERY CO.,LTD





青岛润凯机械制造有限公司
QINGDAO RUNKAI MACHINERY CO., LTD.

公司简介 | INSTRUCTIONS



青岛润凯机械制造有限公司是手推车、货仓车、平板车、万向脚轮和各种橡胶轮的专业制造和出口企业，始建于1993年，占地面积15300平方米，年生产能力60万台，拥有冲压、油压、喷塑、镀锌，橡胶、包装等全套生产车间。凭借成熟的技术团队和先进的技术设备，以及诚信为本的经营理念，多年来不断向新老客户提供质量可靠的产品和优质的服务。目前润凯的产品已经畅销欧洲、拉美、中东、非洲以及东南亚等100多个国家和地区。

润凯愿与国内外朋友真诚合作供求发展。

Qingdao Runkai Machinery Co., Ltd. is one of leading companies in China mainly handling manufacturing and exporting of steel wheelbarrows, hand trucks, platform hand trucks, service carts, rubber wheels and casters. Our products are widely used in construction, agriculture, gardening, storage, transportation, hotel, furniture and so on.

Qingdao Runkai Machinery Co., Ltd. was founded in 1993, the factory building covers more than 15,300 square meters. Annual capability 600,000 pieces. There are more than 50 advanced equipments, and more than 200 employees, including the whole production process stamping, spray painting, rubber industry, galvanization and packing. With the help of our excellent team of talented and creative people, our products are popular in Russia, Europe, Australia, Middle East, Africa, Southeast Asia and America' market for more than 15 years.

Efficient working team, various and stable products supply support us to serve customers with the best quality and services. We sincerely welcome customers from all over the world to cooperate with us.

CONTENTS | 目录



Wheelbarrows

手推车 1-16



Hand Trucks

货仓车 17-18



Platform Hand Trucks/Service Carts

平板车/服务车 19-20



Tool Carts/Tools

工具车/工具 21-22



Wheels

轮子 23-26



Motorcycle Tyres

摩托车胎 27-28



Castors

脚轮 29-30



Packing

包装 31



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB6400

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
130 KGS	65 L	5 CBF	14**4"	1390*610*565*820*675*225 MM



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB6401

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
130 KGS	75 L	6 CBF	4.00-8	1490*495*545*970*551*256 MM



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB6414T

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
160 KGS	85 L	5 CBF	4.00-8	1405*580*600*875*595*285 MM



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB6415

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
150 KGS	85 L	5 CBF	4.00-8	1500*550*580*875*595*285 MM



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB7200T

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
160 KGS	78 L	5 CBF	3.50-8	1440*480*510*895*642*298 MM



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB7900B

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
200 KGS	100 L	7 CBF	4.00-8	1610*700*580*980*660*298 MM



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB6404H-1

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
150 KGS	85 L	5 CBF	4.00-8	1390*680*583*875*595*285 MM



QINGDAO RUNKAI MACHINERY CO.,LTD

WHEEL BARROW



Model No.: WB8614

LOAD	WATER CAPACITY	SAND CAPACITY	WHEEL	L*H*C*A*B*h
200 KGS	102 L	7 CBF	6.50-8	1515*525*520*980*633*296 MM



WHEEL BARROW



Model No.	WB3800
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM) 1390/565/660/840/600/260	



Model No.	WB6500DTL
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	3.25"x3.00-8
L/H/C/A/B/h(MM) 1400/460/560/820/675/225	



Model No.	WB3806
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM) 1390/565/660/820/675/225	



Model No.	WB6500
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM) 1395/460/538/820/675/225	



Model No.	WB6200
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	3.25"x3.00-8
L/H/C/A/B/h(MM) 1400/460/560/820/675/225	



Model No.	WB6201
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM) 1400/460/560/820/675/225	



WHEEL BARROW



Model No.	WB2203
Water Capacity	58 L
Sand Capacity	5 CBF
Load Capacity	120 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM) 1310/530/505/796/550/260	



Model No.	WB7200
Water Capacity	78 L
Sand Capacity	5 CBF
Load Capacity	160 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM) 1440/480/510/895/642/298	



Model No.	WB6405
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1420/590/520/820/675/225	



Model No.	WB7400R
Water Capacity	78 L
Sand Capacity	5 CBF
Load Capacity	150 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1605/505/545/895/642/298	



Model No.	WB6400K
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1390/610/565/820/675/225	



Model No.	WB6406
Water Capacity	78 L
Sand Capacity	5 CBF
Load Capacity	150 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1303/680/543/895/642/298	



WHEEL BARROW



Model No.	WB6407
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	120 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM)	1260/675/570/820/675/225



Model No.	WB6203D
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM)	1390/467/545/820/675/225



Model No.	WB6402
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	14"x3.50-8
L/H/C/A/B/h(MM)	1435/500/690/820/675/225



Model No.	WB6211
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	80 KG
Wheel	4.00-6
L/H/C/A/B/h(MM)	1370/650/375/820/675/225



Model No.	WB6203
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	13"x3.00-8
L/H/C/A/B/h(MM)	1390/467/545/820/675/225



Model No.	WB8600HR
Water Capacity	75 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	14"x3.50-8
L/H/C/A/B/h(MM)	1500/710/690/875/595/285



WHEEL BARROW



Model No.	WB8600HD
Water Capacity	75 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM)	1370/670/610/875/595/285



Model No.	WB6410
Water Capacity	65 L
Sand Capacity	5 CBF
Load Capacity	130 KG
Wheel	14"x3.50-8
L/H/C/A/B/h(MM)	1250/665/560/820/675/225



Model No.	WB6404R
Water Capacity	75 L
Sand Capacity	5 CBF
Load Capacity	200 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM)	1445/590/540/875/595/285



Model No.	WB7400RS
Water Capacity	90 L
Sand Capacity	7 CBF
Load Capacity	130 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM)	1605/565/545/980/660/298



Model No.	WB6424S
Water Capacity	85 L
Sand Capacity	5.5 CBF
Load Capacity	150 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM)	1450/585/590/946/612/325



Model No.	WB6404H
Water Capacity	75 L
Sand Capacity	5 CBF
Load Capacity	200 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM)	1390/680/583/875/595/285



WHEEL BARROW



Model No. WB5009
 Water Capacity 75 L
 Sand Capacity 5 CBF
 Load Capacity 200 KG
 Wheel 14"x3.50-8
 L/H/C/A/B/h(MM) 1435/595/675/875/595/285



Model No. WB5206
 Water Capacity 60 L
 Sand Capacity 4 CBF
 Load Capacity 100 KG
 Wheel 4.00-6
 L/H/C/A/B/h(MM) 1255/655/540/805/610/220



Model No. WB6204
 Water Capacity 65 L
 Sand Capacity 5 CBF
 Load Capacity 120 KG
 Wheel 14"x3.50-8
 L/H/C/A/B/h(MM) 1290/545/560/820/675/225



Model No. WB4024
 Water Capacity 60 L
 Sand Capacity 4 CBF
 Load Capacity 100 KG
 Wheel 4.00-6
 L/H/C/A/B/h(MM) 1255/655/540/805/610/220



Model No. WB6100
 Water Capacity 65 L
 Sand Capacity 5 CBF
 Load Capacity 80 KG
 Wheel 4.00-6
 L/H/C/A/B/h(MM) 1270/660/480/820/675/225



Model No. WB6700
 Water Capacity 65 L
 Sand Capacity 5 CBF
 Load Capacity 130 KG
 Wheel 13"x3.00-8
 L/H/C/A/B/h(MM) 1545/555/545/820/675/225



WHEEL BARROW



Model No. WB4019
 Water Capacity 58 L
 Sand Capacity 5 CBF
 Load Capacity 130 KG
 Wheel 13"x3.00-8
 L/H/C/A/B/h(MM) 1320/525/495/825/585/225



Model No. WB3020P
 Water Capacity 66 L
 Sand Capacity 5 CBF
 Load Capacity 120 KG
 Wheel 16"x4.00-8
 L/H/C/A/B/h(MM) 1360/630/370/920/635/240



Model No. WB5208
 Water Capacity 65 L
 Sand Capacity 5 CBF
 Load Capacity 150 KG
 Wheel 13"x3.00-8
 L/H/C/A/B/h(MM) 1440/490/565/820/630/250



Model No. WH7407
 Water Capacity 100 L
 Sand Capacity 7 CBF
 Load Capacity 200 KG
 Wheel 16"x4.00-8
 L/H/C/A/B/h(MM) 1540/515/555/980/635/335



Model No. WB4200
 Water Capacity 58 L
 Sand Capacity 5 CBF
 Load Capacity 130 KG
 Wheel 13"x3.00-8
 L/H/C/A/B/h(MM)1380X465X540X825X585X225



Model No. WH7408
 Water Capacity 100 L
 Sand Capacity 7 CBF
 Load Capacity 200 KG
 Wheel 16"x4.00-8
 L/H/C/A/B/h(MM) 1540/515/555/980/635/335



WHEEL BARROW



Model No.	WH7803
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	150KG
Wheel	14"x3.50-8
L/H/C/A/B/h(MM) 1490/517/550/1015/680/335	



Model No.	WB7801
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	150 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1498/517/550/1015/680/335	



Model No.	WH7804
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	200 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1498/517/550/990/630/310	



Model No.	WH6600
Water Capacity	80 L
Sand Capacity	5.5 CBF
Load Capacity	180 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1510/480/525/985/700/260	



Model No.	WH8603
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	200 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1520/605/570/980/635/335	



Model No.	WB8601
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	200 KG
Wheel	16"x 6.50-8
L/H/C/A/B/h(MM) 1520/605/570/980/635/335	



WHEEL BARROW



Model No.	WB7801A
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	200 KG
Wheel	16"x 6.50-8
L/H/C/A/B/h(MM) 1500/505/550/990/710/360	



Model No.	WH8802S
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	150 KG
Wheel	16"x4.00-8
L/H/C/A/B/h(MM) 1540/470/565/980/635/335	



Model No.	WB7801B
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	200 KG
Wheel	16"x 6.50-8
L/H/C/A/B/h(MM) 1498/517/550/1015/680/335	



Model No.	WB0100
Water Capacity	10L
Sand Capacity	0.4 CBF
Load Capacity	5KG
Wheel	5.5"x1"
L/H/C/A/B/h(MM) 735/390/385/490/370/98	



Model No.	WB7805P
Water Capacity	100 L
Sand Capacity	7 CBF
Load Capacity	150 KG
Wheel	16"x4.00-8PU
L/H/C/A/B/h(MM) 1510/525/550/980/635/335	



Model No.	WB0200
Water Capacity	20L
Sand Capacity	0.6 CBF
Load Capacity	10KG
Wheel	8"x1.75"
L/H/C/A/B/h(MM) 840/330/310/590/430/225	



HAND TRUCK



Model No. HT1105
Load Capacity 90 KG
Wheel 6"X1.5" solid
L/W/H(MM) 1110/400/410



Model No. HT1805
Load Capacity 250 KG
Wheel 10"X3.5" air
L/W/H(MM) 1310/550/460



Model No. HT1428AL
Load Capacity 100 KG
Wheel 3.00-4
L/W/H(MM) 1115/525/450



Model No. HT1864A
Load Capacity 250 KG
Wheel 10"X3.5" air
L/W/H(MM) 1200/500/1050



Model No. HT1840
Load Capacity 200 KG
Wheel 10"X3.5"
L/W/H(MM) 1610/610/450



Model No. HT0608
Load Capacity 200 KG
Wheel 6.5"X1.75" solid
L/W/H(MM) 1355/575/605



Model No. HT1410A
Load Capacity 200 KG
Wheel 6.5"X1.75" solid
L/W/H(MM) 1200/560/610



Model No. HT1824
Load Capacity 250 KG
Wheel 3.50-4 air
L/W/H(MM) 1275/614/560



Model No. HT1823
Load Capacity 250 KG
Wheel 10"X3.5" air
L/W/H(MM) 1200/500/1050



HAND TRUCK



Model No. HT1830
Load Capacity 200 KG
Wheel 3.50-4 air
L/W/H(MM) 1130/555/425



Model No. HT1561
Load Capacity 80 KG
Wheel 8"X1.75" solid
L/W/H(MM) 1000/456/362



Model No. HT1500
Load Capacity 50 KG
Wheel 7.5"X1.5" solid
L/W/H(MM) 1190/445/340



Model No. HT2502
Load Capacity 180 KG
Wheel 3.00-4 air
L/W/H(MM) 1170/495/510



Model No. HT2502AL
Load Capacity 150 KG
Wheel 3.00-4 air
L/W/H(MM) 1170/466/511



Model No. HT2500
Load Capacity 150 KG
Wheel 3.00-4 air
L/W/H(MM) 1170/476/510



Model No. HT1312
Load Capacity 100 KG
Wheel 6.5"X1.75" solid
L/W/H(MM) 1160/605/795



Model No. HT1894C
Load Capacity 100 KG
Wheel 3.50-4 air
L/W/H(MM) 1200/640/720



Model No. JM800
Load Capacity 300 KG
Wheel 3.50-4 air
L/W/H(MM) 1300/550/500



PLATFORM HAND TRUCK



Model No. PH300
Load Capacity(KG) 300
Wheel 5
H/h/H/W(MM) 863/209/916/616



Model No. PH152
Load Capacity(KG) 100
Wheel 4
H/h/H/W(MM) 823/143/710/456



Model No. PH158
Load Capacity(KG) 130
Wheel 4
H/h/H/W(MM) 820/139.5/735/475



Model No. PH301
Load Capacity(KG) 300
Wheel 8
H/h/H/W(MM) 915/290/915/615



Model No. PH153
Load Capacity(KG) 100
Wheel 4
H/h/H/W(MM) 830,665/240,165/725,500/415



Model No. 952CP42
Load Capacity(KG) 1500
Wheel 10
H/h/H/W(MM) 1040/350/1200/800



SERVICE CART



Model No. SC1250
Load Capacity(KG) 100
Wheel 5
L/W/H(MM) 838/410/825



Model No. SC1351
Load Capacity(KG) 100
Wheel 5
L/W/H(MM) 838/410/825



Model No. SC3300
Load Capacity(KG) 80
Wheel 4
L/W/H(MM) 880/465/810



Model No. SC5242
Load Capacity(KG) 100
Wheel 4
L/W/H(MM) 755/415/875



Model No. SC3241
Load Capacity(KG) 120
Wheel 4
L/W/H(MM) 735/475/865



Model No. SC2351
Load Capacity(KG) 150
Wheel 5
L/W/H(MM) 1009/626/825



TOOL CART



Model No. TC1846A
Load Capacity(KG) 150
Wheel 5.00-5
L/W/H(MM) 1375/648/1020



Model No. TC1840-2
Load Capacity(KG) 130
Wheel 10 x3.5
L/W/H(MM) 975/485/550



Model No. TC1807
Load Capacity(KG) 250
Wheel 10 X3.5
L/W/H(MM) 1220/610/330



Model No. TC0505
Load Capacity(KG) 200
Wheel 3
D/H(MM) Ø700/161.5



Model No. TC0500
Load Capacity(KG) 300
Wheel 3
L/W/H(MM) 760/460/140



Model No. TC0517
Load Capacity(KG) 300
Wheel 3
L/W/H(MM) 610/410/135



TOOL



Model No. TC1032
Weight(KG) 0.75



Model No. TC1039
L/W/H(MM) 250/237/170



Model No. TC1080
Weight(KG) 6
W/H(MM) 1105/1555



Model No. TC1080
W/H(MM) 800/1200



Model No. MT005
L/W/H(MM) 370/370/25



Model No. MT008
L/W/H(MM) 190/150/100



WHEEL



Model No. SR2500T
Size 13"x3"



Model No. SR2500R
Size 13"x3"



Model No. SR2500
Size 13"x3"



Model No. SR2701T
Size 14"x4"



Model No. SR2701R
Size 14"x4"



Model No. SR2701
Size 14"x4"



Model No. SR2700T
Size 15"x3"



Model No. SR2700R
Size 15"x3"



Model No. SR2700
Size 15"x3"



Model No. SR2400T
Size 3.00-8



Model No. SR2400R
Size 3.00-8



Model No. SR2400
Size 3.00-8



WHEEL



Model No. PR1400
Size 8" x2.50-4



Model No. PR1800
Size 10" x3.50-4



Model No. PR1801
Size 10" x3.50-4



Model No. PR1802
Size 10" x3.00-4



Model No. PR1803
Size 10" x3.50-4



Model No. PR1804
Size 10" x3.50-4



Model No. PR1805
Size 10" x3.00-4



Model No. PR1805-4
Size 10" x3.00-4



Model No. PR1806
Size 10" x3.00-4



Model No. PR1990
Size 12" x3.50-5



Model No. PR2410
Size 13" x4.00-6



Model No. PR1902
Size 13" x3.00-8



Model No. PR2708
Size 14" x3.50-8



Model No. PR2401A
Size 13" x3.00/3.25-8



Model No. PR2401B
Size 13" x3"



Model No. PR2404
Size 13" x3.00-8



WHEEL



Model No. PR2603-2

Size 16" x3.50-8



Model No. PR2604-1

Size 16" x3.50-8



Model No. PR2605

Size 16" x3.50-8



Model No. PR2606

Size 16" x4.00-8



Model No. PR2606-1

Size 16" x3.50-8



Model No. PR3000

Size 16" x4.00-8



Model No. PR3000-1

Size 16" x4.00-8



Model No. PR3003

Size 16" x4.00-8



Model No. PR3003-1

Size 16" x4.00-8



Model No. PR3005

Size 16" x4.80/4.00-8



Model No. PR3006-2

Size 16" x4.00-8



Model No. PR3006-3

Size 16" x4.00-8



Model No. PR3006-4

Size 16" x4.00-8



Model No. PR3007

Size 16" x4.50-8



Model No. PR3008

Size 16" x6.50-8



Model No. PR3008-1

Size 16" x6.50-8



WHEEL



Model No. SR1111

Size 8" x1.2"



Model No. SR1501

Size 8" x1.75"



Model No. SR1502

Size 8" x1.75"



Model No. EW1312

Size 7" x1.5"



Model No. SR1902

Size 10" x2.5"



Model No. SR1904

Size 10" x2.5"



Model No. SR2500

Size 13" x3"



Model No. SR2500A

Size 10" x3"



Model No. PU1300

Size 13" x3.00/3.25-8



Model No. PU1303

Size 16" x4.00-8



Model No. PU1501

Size 13" x2.50-4



Model No. FF1902PU

Size 12" x3.50-4



Model No. PU1205

Size 12" x4.00-6



Model No. PU1301

Size 16" x4.00-8



Model No. PU1305

Size 16" x4.00-8



Model No. PU1401

Size 16" x4.00-10



MOTORCYCLE TYRE



MK001



MK002



MK002



MK002



MK003



MK004



MK005



MK006



MK007



MK008



MK009



MK010



MOTORCYCLE TYRE



MK011



MK012



MK013



MK014



MK015



MK016



MK017



MK018



MK019



MK020



MK021



MK022



CASTOR



RK2101



RK2102



RK2109



RK2108



RK2103



RK2104



RK2105



RK2106



RK2107



RK2112



CASTOR



RK2113



RK2111



RK2110




RK2114

Caster Models	Wheel Diameter	Load Height	Top Plate	Mounting Hole	Aperture
RK2101	130 mm	170 mm	122X80 mm	98X57 mm	10.5 mm
RK2102	160 mm	190 mm	137X105 mm	105X78 mm	10.5 mm
RK2103	50 mm	75 mm	12X15 mm	none	none
RK2104	75 mm	95 mm	12X15 mm	none	none
RK2105	75 mm	95 mm	87X77 mm	68X50 mm	8 mm
RK2106	95 mm	125 mm	98X62 mm	83X40 mm	8 mm
RK2107	112.5 mm	142 mm	113X98 mm	83X72 mm	10.5 mm
RK2108	25 mm	150 mm	104X79 mm	88X61 mm	8 mm
RK2109	150 mm	190 mm	113X98 mm	85X74 mm	10.5 mm
RK2110	200 mm	230 mm	27X55mm	none	none
RK2111	250 mm	300 mm	113X98 mm	83X72 mm	10.5 mm
RK2112	75 mm	105 mm	94x66 mm	74x45 mm	8 mm
RK2112	100 mm	125 mm	94x66 mm	74x45 mm	8 mm
RK2112	125 mm	150 mm	94x66 mm	74x45 mm	8 mm
RK2113	50 mm	70 mm	64X46 mm	52X33 mm	6 mm
RK2113	65 mm	90 mm	99X58 mm	80X40 mm	8 mm
RK2113	75 mm	100 mm	99X58 mm	80X40 mm	8 mm
RK2113	100 mm	125 mm	99X58 mm	80X40 mm	8 mm
RK2113	125 mm	155 mm	99X58 mm	80X40 mm	8 mm
RK2114	75 mm	90 mm	81X67 mm	62X43 mm	8 mm
RK2114	100 mm	125 mm	103X79 mm	76X57 mm	8 mm
RK2114	125 mm	150 mm	103X79 mm	76X57 mm	8 mm
RK2114	150 mm	185 mm	134X107 mm	108X78 mm	10.5 mm
RK2114	200 mm	230 mm	134X107 mm	108X78 mm	10.5 mm



QINGDAO RUNKAI MACHINERY CO.,LTD

PACKING



Packing Shrink Warp



Packing In Bulk



Packing 50PCS/Pallet



Международная специализированная выставка инструментов, оборудования и промышленных технологий



International Fair for Tools Metalworking and Manufacturing Technologies

Moscow International Tool Expo

10-13 ноября 2009 года, Москва, Экспоцентр
November 10-13, 2009, Expocenter, Moscow

СЕРТИФИКАТ C E R T I F I C A T E

QINGDAO RUNKAI MACHINERY CO., LTD.

Президент ООО "ЕВРОЭКСПО"
С.М. Саконов
President of "EUROEXPO" LTD
S.M. Sadkov



ЕВРОЭКСПО EUROEXPO

